

SÜDWEST Additiv FK

Ref. 130000006219/

Rev. no. 1.3

Revision Date 11.01.2018 Print Date 23.03.2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SÜDWEST Additiv FK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Biocidal product

Auxiliary

Reserved for industrial and professional use.

Uses advised against This information is not available.

1.3 Details of the supplier of the safety data sheet

SÜDWEST Lacke + Farben GmbH & Co.KG

Iggelheimer Str. 13

D - 67459 Böhl-Iggelheim Telephone: +49 6324/709-0 Telefax: +49 6324/709-175

www.suedwest.de

E-mail address of person

sdb@suedwest.de

responsible for the SDS

European Union

1.4 Emergency telephone number European Union

Phone: +44 (0)1235 239 670

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

SÜDWEST Additiv FK

Acute aquatic toxicity,

Category 1

H400: Very toxic to aquatic life.

Chronic aquatic toxicity,

Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word Warning

Hazard statements H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long

lasting effects.

Precautionary **Prevention:**

statements P201 Obtain special instructions before use.

P280 Wear protective gloves/ protective

clothing/ eye protection/ face protection.

P273 Avoid release to the environment.

Response:

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

Disposal:

P501 Contents/container to be disposed of

through approved disposal contractor or

taken to municipal collection point.

Hazardous components which must be listed on the label:

isoproturon

Additional Labelling:

EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-

one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 3-iodo2-propynyl butylcarbamate, 2-methyl-2H-isothiazol-3-one. May

produce an allergic reaction.

For 2-Methyl-2H-Isothiazol-3-one (MIT), a labelling threshold of 15 ppm is voluntarily used in accordance with the CEPE recommendation (instead of 100 ppm).

2.3 Other hazards

The classification does not take the inhalation toxic properties of the relevant ingredients into account as these were determined on the basis of a fine spray or dust.

This mixture, if handled and used in the customary way, does not pose any inhalation risk due to the aggregate state and the low vapour pressure of the relevant ingredients. The classification takes all potential risks into account, which could be expected to occur when using dangerous materials and mixtures (CLP, Chapter 1).

Results of PBT and vPvB assessment

Not applicable

Use biocides safely. Always read the label and product information before use.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature Preservative

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (% w/w)
isoproturon	34123-59-6 251-835-4	Carc.2; H351 Aquatic Acute1; H400 Aquatic Chronic1; H410	≥ 2,5 - < 5
Terbutryn	886-50-0 212-950-5	Acute Tox.4; H302 Aquatic Acute1; H400 Aquatic Chronic1; H410	≥ 1 - < 2,5
3-iodo2-propynyl butylcarbamate	55406-53-6 259-627-5	STOT RE1; H372 Eye Dam.1; H318 Acute Tox.3; H331 Skin Sens.1; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410 Acute Tox.4; H302	≥ 0,25 - < 1
mixture of: 5-chloro- 2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Acute Tox.2; H330 Acute Tox.2; H310 Acute Tox.3; H301 Skin Corr.1B; H314 Skin Sens.1; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	< 0,0015

For explanation of abbreviations see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice When symptoms persist or in all cases of doubt seek

medical advice.

First aider needs to protect himself.

Inhalation Move to fresh air in case of accidental inhalation of vapours

or decomposition products.

Consult a physician after significant exposure.

Skin contact Take off contaminated clothing and shoes immediately.

Take off contaminated clothing and wash it before reuse.

Wash skin thoroughly with soap and water or use

recognized skin cleanser.

Do NOT use solvents or thinners. If symptoms persist, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Consult a physician.

Eye rinsing bottle must be kept immediately to hand.

Ingestion Never give anything by mouth to an unconscious person.

Clean mouth with water and drink afterwards plenty of

water.

Do NOT induce vomiting. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.

No information available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing

media

CO2, extinguishing powder or water spray. Fight larger fires

with water spray or alcohol resistantfoam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the

Fire may cause evolution of:

Carbon monoxide

SÜDWEST Additiv FK

substance or mixture Carbon dioxide (CO2)

Nitrogen oxides (NOx)

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Complete suit protecting against chemicals

Additional advice Water for fire fighting must not be emptied into drains, earth

or waters. Contaminated water and earth must be disposed

of according to official local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal

precautions, protective equipment and

emergency procedures

Do not breathe fumes / aerosol Use personal protective equipment.

Ensure adequate ventilation. Prevent unauthorized access.

6.2 Environmental precautions

Prevent seepage into sewage system, workpits andcellars. Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Dispose of contaminated material as waste according to

item 13.

Clean contaminated surface thoroughly.

Suitable cleaning agents

Clean with detergents. Avoid solvents.

6.4 Reference to other

sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling
Avoid contact with skin and eyes.

Do not breathe vapours or spray mist.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture

is being used.

Comply with the statutory regulations on health and safety at

work.

Do not re-use empty containers.

SÜDWEST Additiv FK

Hygiene measures Take off immediately all contaminated clothing.

Keep working clothes separately.

Wash hands before breaks and immediately after handling

the product.

After washing hands, replenish lost skin oil by means of oily

skin ointment.

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and

containers

Keep out of reach of children. Store in original container.

Containers which are opened must be carefully resealed

and kept upright to prevent leakage. Protect from frost, heat and sunlight.

Keep in a dry place.

Advice on common

storage

Keep away from food and drink.

7.3 Specific end use(s) For further information, see also Technical Data Sheet for

the product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values. The lists that were valid during the creation were used as basis.

8.2 Exposure controls

Appropriate engineering controls

Washing facilities / water for rinsing eyes and skin should be available.

Individual protection measures, such as personal protective equipment

a) Eye/face protection Safety glasses with side-shields conforming to EN166

b) Skin protection

Hand protection Wearing time: < 20 min Minimum thickness: 0.2 mm

Gloves made of the following materials are suitable as

protection from splashes:

Gloves made of nitrile rubber, e.g. KCL 743 Dermatril® P (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300,

kcl-uk@kcl.de), or equivalent.

Wetted gloves must be disposed of immediately!

Wearing time: > 480 min Minimum thickness: 0,4 mm

Gloves in the following material can be used for prolonged

contact up to max. 8 hours:

Gloves made of nitrile rubber, e.g. KCL 730 Camatril® Velours (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-

87-300, kcl-uk@kcl.de), or equivalent.

Dispose of wetted gloves at the end of the shift!

The selected protective gloves have to satisfy the

specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

Cotton undergloves are recommendable when wearing

protective gloves!

To avoid skin problems reduce the wearing of gloves to the

required minimum.

Only use chemical-protective gloves with CE-labelling of

category III.

Body Protection Impervious clothing

If splashes are likely to occur, wear: Solvent-resistant apron and boots

c) Respiratory protection In case of inadequate ventilation wear respiratory protection.

Recommended Filter type:

A/P2 combination filter, alternatively a respiratory protective

device independent from the surrounding air. Respiratory protection complying with EN 14387.

For rescue and maintenance work in storage tanks use self-

contained breathing apparatus.

General precautions and

other information

The instructions for the personal protective equipment apply

to the handling of both individual components and of the

ready-to-use mixture.

Environmental exposure controls

General advice Prevent seepage into sewage system, workpits

andcellars.

Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains

inform respective authorities.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

SÜDWEST Additiv FK

liquid **Appearance**

colourless Colour Odour characteristic Odour Threshold not determined рΗ not determined not determined

Melting point/freezing

point

100 °C

Initial boiling point and

boiling range

Flash point Not applicable

Evaporation rate not determined Flammability (solid, gas) not applicable No data available Lower explosion limit No data available Upper explosion limit 23 hPa, 20 °C Vapour pressure Vapour density No data available

Density ca. 1,058 g/cm³, 20 °C, DIN 51757

Solubility(ies)(Water) partly miscible Partition coefficient: nnot determined

octanol/water

Auto-ignition temperature not auto-flammable

Decomposition No data available temperature

Viscosity, dynamic not determined

Explosive properties Not explosive Oxidizing properties Not applicable

9.2 Other information

Flow time ca. 12 s, 20 °C, 4 mm, ISO 2431

Solid content 11,8 %

SECTION 10: STABILITY AND REACTIVITY

SÜDWEST Additiv FK

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid Direct sources of heat.

Strong sunlight for prolonged periods.

No decomposition if stored and applied as directed.

10.5 Incompatible materials

Materials to avoid Strong acids and strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition

products

Decomposition

No data available

temperature

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product

Acute oral toxicity Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity Acute toxicity estimate : > 20 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: Calculation method

Acute dermal toxicity Based on available data, the classification criteria are

not met.

Skin corrosion/irritation Based on available data, the classification criteria are

not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are

not met.

Respiratory or skin

sensitisation

Based on available data, the classification criteria are

not met.

Germ cell mutagenicity

Genotoxicity in vitro

Based on available data, the classification criteria are

not met.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Effects on fertility

Based on available data, the classification criteria are

not met.

Developmental Toxicity Based on available data, the classification criteria are

not met.

STOT - single exposure Based on available data, the classification criteria are

not met.

STOT - repeated exposure Based on available data, the classification criteria are

not met.

Aspiration hazard Based on available data, the classification criteria are

not met.

Further information The product itself has not been tested. The mixture is

classified in accordance with Annex I to EC Directive

1272/2008. (See sections 2 and 3 for details).

Components:

isoproturon:

Carcinogenicity Suspected of causing cancer.

SÜDWEST Additiv FK

Terbutryn:

Acute oral toxicity LD50 Rat: 1.000 - 1.470 mg/kg

Acute dermal toxicity LD50 Rabbit: > 2.000 mg/kg

3-iodo2-propynyl butylcarbamate :

Acute oral toxicity Harmful if swallowed.

Acute inhalation toxicity LC50 Rat: 3 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin

sensitisation

May cause an allergic skin reaction.

STOT - repeated exposure Causes damage to organs through prolonged or

repeated exposure.

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) :

Acute oral toxicity Toxic if swallowed.

Acute inhalation toxicity Fatal if inhaled.

Acute dermal toxicity Fatal in contact with skin.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Respiratory or skin

sensitisation

May cause an allergic skin reaction.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product:

No data available Toxicity to fish

Components:

isoproturon:

Toxicity to daphnia and EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h

other aquatic invertebrates

M-Factor (Acute aquatic

toxicity)

M-Factor (Chronic aquatic

toxicity)

10

10

Terbutryn:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,1 mg/l

Exposure time: 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 (Daphnia (water flea)): 2,66 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic

toxicity)

10

Toxicity to fish (Chronic

toxicity)

NOEC: 0,01 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and

other aquatic invertebrates

(Chronic toxicity)

NOEC: 1,3 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic 10

toxicity)

3-iodo2-propynyl butylcarbamate:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0,067 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and

other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,16 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae EC50 (Pseudokirchneriella subcapitata (green algae)):

0,049 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)):

0.0046 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic

toxicity)

10

Toxicity to fish (Chronic

toxicity)

NOEC: 0,0084 mg/l Exposure time: 35 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates

(Chronic toxicity)

NOEC: 0,010 mg/l Exposure time: 21 d

Species: Daphnia (water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) :

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l

Exposure time: 96 h

Toxicity to daphnia and

Exposure time: 48 h

EC50 (Daphnia (water flea)): 0,12 mg/l other aquatic invertebrates

Toxicity to algae EC50 (Skeletonema costatum (marine diatom)): 0.0052

ma/l

Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)):

0,00049 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic

toxicity)

100

Toxicity to fish (Chronic

toxicity)

NOEC: 0,098 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

Toxicity to daphnia and

NOEC: 0,004 mg/l

SÜDWEST Additiv FK

(Chronic toxicity) Species: Daphnia (water flea)

M-Factor (Chronic aquatic

toxicity)

100

12.2 Persistence and degradability

Product:

Biodegradability No data available

Components: Terbutryn:

Biodegradability Result: not rapidly degradable

3-iodo2-propynyl butylcarbamate:

Biodegradability Result: rapidly degradable

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) :

Biodegradability Result: not rapidly degradable

12.3 Bioaccumulative potential

Product:

Bioaccumulation No data available

Components:

isoproturon:

Partition coefficient: n- log Pow: 2,5

octanol/water **Terbutryn**:

Partition coefficient: n- log Pow: 3,65 - 3,74

octanol/water

3-iodo2-propynyl butylcarbamate:

Partition coefficient: n- log Pow: 2,8

octanol/water

12.4 Mobility in soil

Product:

Mobility No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components

considered to be either persistent, bioaccumulative and

SÜDWEST Additiv FK

toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information

Even small quantities emptied into the soil can affect the quality of drinking water. Do not use in the direct vicinity of bodies of water. Do not allow the agent or any product residues to enter into waters, the soil or the sewage system. Very toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product The user is responsible for proper coding and marking of

any waste.

When used as recommended, the waste code can be selected according to the code of the European Waste Catalogue (EWC), category 17.09 "Other Construction and

Demolition Waste"

Unhardened product residues should be disposed of under

the recommended waste code number.

Contaminated packaging Packaging that is not properly emptied must be disposed of

as the unused product.

Empty packaging should be recycled through disposal

systems.

Waste key for the unused product

08 01 11*: Paint and varnish waste containing organic

solvents or other dangerous substances

: (*) hazardous waste in terms of the European directive

91/689/EEC

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR 3082

IMDG 3082

IATA 3082

14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

(3-iodo2-propynyl butylcarbamate, isoproturon)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

(3-iodo2-propynyl butylcarbamate, isoproturon)

IATA Environmentally hazardous substance, liquid, n.o.s.

(3-iodo2-propynyl butylcarbamate, isoproturon)

14.3 Transport hazard class(es)

ADR 9

IMDG 9

IATA 9

14.4 Packing group

ADR

Packing group III

Classification Code M6

Hazard Identification 90

Number

Labels 9

IMDG

Packaging group III

Labels 9

EmS number F-A, S-F

IATA

Packaging group III

Labels 9

14.5 Environmental hazards

ADR

SÜDWEST Additiv FK

Environmentally hazardous yes

IMDG

Marine pollutant yes

14.6 Special precautions for user

Remarks This information is not available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable

Additional advice

ADR: Up to 5 I per inner package, transport as limited

quantity in accordance with ADR 3.4.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

Directive 2010/75/EU 0 %

VOC

Directive 2004/42/EC

does not fall under Directive 2004/42/EC

Regulation (EC) No : Not applicable 649/2012 of the European

Parliament and the Council concerning the export and import of

dangerous chemicals

Further notes Before use please consult technical data sheet and safety

data sheet.

Do not use in the direct vicinity of bodies of water. Do not allow the agent or any product residues to enter into waters,

the soil or the sewage system.

The effectiveness of the biocide is dependent on correct

storage and observation of the use-by date.

Other regulations Take note of Dir 92/85/EEC on the safety and health at work

of pregnant workers.

Take note of Dir 94/33/EC on the protection of young people

at work.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: OTHER INFORMATION

Changes from the previous version are indicated by markings in the left-hand margin.

The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

Full text of H-Statements

H301 : Toxic if swallowed. H302 : Harmful if swallowed. H310 : Fatal in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage.

H330 : Fatal if inhaled. H331 : Toxic if inhaled.

H351 : Suspected of causing cancer.

H372 : Causes damage to organs through prolonged or

repeated exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity

Carc. : Carcinogenicity
Eye Dam. : Serious eye damage

Skin Corr. : Skin corrosion

SÜDWEST Additiv FK

Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP -Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information It is possible in the interim period that you may find

> different markings on packaging compared to the Material Safety Data Sheet until stocks have been used

up. We ask for your understanding in this matter.

Department issuing **MSDS** REG EU/EN

sdb@suedwest.de

SÜDWEST Additiv FK