

## SÜDWEST Lotusan

Ref. MA10002444/

Rev. no. 1.2

Revision Date 12.10.2018 Print Date 05.11.2018

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SÜDWEST Lotusan

1.2 Relevant identified uses of the substance or mixture and uses advised against

Facade paint

Uses advised against This information is not available.

1.3 Details of the supplier of the safety data sheet

SÜDWEST Lacke + Farben GmbH & Co.KG

Iggelheimer Str. 13 D - 67459 Böhl-Iggelheim Telephone: +49 6324/709-0

Telefax: +49 6324/709-175

www.suedwest.de

E-mail address of person responsible for the SDS

European Union

sdb@suedwest.de

1.4 Emergency telephone number European Union Phone: +44 (0)1235 239 670

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### SÜDWEST Lotusan

#### **Additional Labelling:**

EUH210 Safety data sheet available on request.

EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-

one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-

one. May produce an allergic reaction.

For 2-Methyl-2H-Isothiazol-3-one (MIT), a labelling threshold of 15 ppm is voluntarily used in accordance with the CEPE recommendation (instead of 100 ppm).

#### Regulation concerning biocidal products (528/2012):

Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-

one [EC no. 220-239-6] (3:1)

, 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol- 3(2H)-one. As active agents for storage protection in

accordance with Biocidal Product Regulation

(528/2012), Article 58(3)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

3.2 Mixtures

Chemical nature Water-based silicone exterior paint

**Hazardous components** 

Remarks : No hazardous ingredients

#### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General advice In the case of accident or if you feel unwell, seek medical

advice immediately (show the label where possible). Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

### SÜDWEST Lotusan

Inhalation Remove to fresh air.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial

respiration.

If symptoms persist, call a physician.

Skin contact Take off all contaminated clothing immediately.

Wash skin thoroughly with soap and water or use

recognized skin cleanser.

Do NOT use solvents or thinners. If skin irritation persists, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Seek medical advice.

Ingestion Clean mouth with water and drink afterwards plenty of

water.

Do NOT induce vomiting. Obtain medical attention.

Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.

No information available.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing

High volume water jet

media

5.2 Special hazards arising from the

substance or mixture

Fire may cause evolution of:

Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx)

Exposure to decomposition products may be a hazard to

health.

**5.3 Advice for** Wear self-contained breathing apparatus for firefighting if

### SÜDWEST Lotusan

**firefighters** necessary.

Additional advice Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal

precautions, protective equipment and

emergency procedures

6.2 Environmental

precautions

Ensure adequate ventilation.

Do not breathe vapour.

The product should not be allowed to enter drains, water

courses or the soil.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Clean with detergents. Avoid solvents.

Dispose of contaminated material as waste according to

item 13.

Clean contaminated surface thoroughly.

6.4 Reference to other

sections

Refer to protective measures listed in sections 7 and 8.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe handling 
Avoid contact with skin and eyes.

Prevent unauthorized access.

Provide sufficient air exchange and/or exhaust in work

rooms.

Comply with the statutory regulations on health and safety at

work.

Hygiene measures Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing and gloves.

including the inside, before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities

## SÜDWEST Lotusan

Requirements for storage areas and

Containers which are opened must be carefully resealed

and kept upright to prevent leakage.

containers

Store in original container. Observe label precautions.

Protect from frost, heat and sunlight.

Advice on common

storage

Keep away from oxidizing agents and strongly acid or

alkaline materials.

**7.3 Specific end use(s)** For further information, see also Technical Data Sheet for

the product.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values. The lists that were valid during the creation were used as basis.

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Provide adequate ventilation.

#### Individual protection measures, such as personal protective equipment

a) Eye/face protection Wear protective goggles for protection against splashed

liquid.

Safety glasses with side-shields conforming to EN166

b) Skin protection

Hand protection Recommended preventive skin protection

Before starting work, apply water-resistant skincare

preparations to exposed skin areas.

Protective gloves should be worn in case of skin contact

during preparation and application.

Break through time: 480 min Minimum thickness: 0,11 mm

Gloves made of nitrile rubber, e.g. KCL 740 Dermatril® (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300,

kcl-uk@kcl.de), or equivalent.

Cotton undergloves are recommendable when wearing

protective aloves!

Skin that comes into contact with the product should be treated with protective cream. After such contact, the product concerned should under no circumstances be used.

The selected protective gloves have to satisfy the

specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different

from one producer to the other.

Body Protection Work clothes

Skin should be washed after contact. Do NOT use solvents or thinners.

c) Respiratory protection 

No personal respiratory protective equipment normally

required.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Employees involved in spraying work or in the immediate vicinity of such work should use a P2 particle filter against

spray fog.

Respiratory protection complying with EN 143.

#### **Environmental exposure controls**

General advice The product should not be allowed to enter drains, water

courses or the soil.

If the product contaminates rivers and lakes or drains

inform respective authorities.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

Appearance liquid

Colour various

Odour characteristic

Odour Threshold No data available

pH ca. 9 - 10 (20 °C)

Melting point/freezing point < 0 °C

Initial boiling point and

boiling range

No data available

Flash point > 100 °C

Evaporation rate not applicable

## SÜDWEST Lotusan

Flammability (solid, gas) not applicable

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapour pressure No data available

Vapour density No data available

Density ca. 1,45 - 1,55 g/cm<sup>3</sup> (20 °C)

Solubility(ies)

Water solubility completely miscible

Partition coefficient: n-

octanol/water

not determined

Auto-ignition temperature not auto-flammable

Decomposition temperature

No data available

Viscosity

Viscosity, dynamic ca. 1.400 - 2.700 mPa.s (20 °C)

Explosive properties Not explosive

Oxidizing properties Not applicable

9.2 Other information

Flow time No data available

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions This information is not available.

## SÜDWEST Lotusan

#### 10.4 Conditions to avoid

Conditions to avoid Stable under recommended storage and handling

conditions (see section 7).

10.5 Incompatible materials

Materials to avoid Strong acids and strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition

products

No data available

Decomposition temperature

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Acute toxicity

**Product:** 

Acute oral toxicity Based on available data, the classification criteria are

not met.

Acute inhalation toxicity Based on available data, the classification criteria are

not met.

Acute dermal toxicity Based on available data, the classification criteria are

not met.

Skin corrosion/irritation

**Product:** 

Based on available data, the classification criteria are

No decomposition if stored and applied as directed.

not met.

Serious eye damage/eye irritation

**Product:** 

Based on available data, the classification criteria are

not met.

Respiratory or skin sensitisation

**Product:** 

Based on available data, the classification criteria are

not met.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro Based on available data, the classification criteria are

not met.

## SÜDWEST Lotusan

Carcinogenicity

**Product:** 

Based on available data, the classification criteria are

not met.

Reproductive toxicity

**Product:** 

Effects on fertility Based on available data, the classification criteria are

not met.

Developmental Toxicity Based on available data, the classification criteria are

not met.

STOT - single exposure

**Product:** 

Based on available data, the classification criteria are

not met.

STOT - repeated exposure

**Product:** 

Based on available data, the classification criteria are

not met.

**Aspiration toxicity** 

**Product:** 

Based on available data, the classification criteria are not met.

**Further information** 

**Product:** 

The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive

1272/2008. (See sections 2 and 3 for details).

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Product:** 

Toxicity to fish No data available

12.2 Persistence and degradability

**Product:** 

Biodegradability No data available

12.3 Bioaccumulative potential

## SÜDWEST Lotusan

**Product:** 

Bioaccumulation No data available

12.4 Mobility in soil

**Product:** 

Mobility No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment This substance/mixture contains no components

considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative

(vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

**Product:** 

Additional ecological

information

Do not allow product to enter into ground water, bodies

of water or sewage systems.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product The user is responsible for proper coding and marking of

any waste.

Dispose of as special waste in compliance with local and

national regulations.

Partial and residual quantities can be reused.

Contaminated packaging Packaging that is not properly emptied must be disposed of

as the unused product.

Empty packaging should be recycled through disposal

systems.

Waste key for the 08 01 12 Waste paint and varnish other than those covered

unused product by 08 01 11

#### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks This information is not available.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

Directive 2010/75/EU

0,5 % 7,3 g/l

VOC

Directive 2004/42/EC

1,2 % 18,0 g/l

EU limit value for this product (cat. A/c) :40 g/IThis product

contains max40 g/IVOC.

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals Not applicable

Other regulations Comply with the statutory regulations on health and safety at

work.

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: OTHER INFORMATION**

Changes from the previous version are indicated by markings in the left-hand margin.

The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP -Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of

Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Other information It is possible in the interim period that you may find

different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing

MSDS REG\_EU / EN sdb@suedwest.de

# SÜDWEST Lotusan